

Australian and New Zealand College of Veterinary Scientists

Membership Examination

June 2012

Medicine of Dogs Paper 1

Perusal time: Fifteen (15) minutes

Time allowed: Two (2) hours after perusal

Answer your choice of any **FOUR (4)** questions from the five questions **ONLY**

All five questions are of equal value

Answer **FOUR** questions each worth 10 markstotal 40 marks

Paper 1: Medicine of Dogs

Answer your choice of any <u>FOUR (4)</u> questions from the five questions <u>ONLY</u>

| 1. | Answer all | subparts | of this c | question: |
|----|------------|----------|-----------|-----------|
|----|------------|----------|-----------|-----------|

Describe:

- a) the function of the vestibular system. (1 mark)
- b) the neuroanatomical components making up the central and peripheral vestibular systems. (2 marks)
- c) the clinical signs seen with vestibular disease and how these can be used to differentiate between central and peripheral vestibular disease.

(7 marks)

2. Answer **all** subparts of this question:

Chronic hypertension causes damage to 'target' organs.

- a) List 'target' organs that are typically damaged by chronic hypertension. For **each** of these organs briefly describe the resulting:
 - i. typical clinical signs
 - ii. abnormal clinical pathology test findings
 - iii. diagnostic imaging abnormalities. (5 marks)
- b) Briefly describe the autoregulatory mechanism by which target organs are protected from an increase in blood pressure. $(2\frac{1}{2} \text{ marks})$
- c) Describe the pathophysiology of target organ damage when these autoregulatory mechanisms break down. $(2\frac{1}{2} marks)$

- 3. Answer any **two (2)** of the following subparts: (5 marks each)
 - a) Discuss the aetiology, epidemiology and pathophysiology of rabies in dogs.
 - b) Outline, in point form, the homeostasis of glucose. Include in your answer the major organs and hormones involved.
 - c) Explain the aetiopathogenesis of hypokalaemia in dogs.
- 4. List the types of fluid that can constitute abdominal effusions in dogs. For **each** fluid type, provide:
 - i. a definition according to its laboratory parameters; and
 - ii. a brief description of the pathophysiological processes which generate that type of fluid. (10 marks)
- 5. Answer any **two (2)** of the following subparts: (5 marks each)
 - a) Describe the aetiopathogenesis of regurgitation in dogs.
 - b) Describe the aetiopathogenesis of melaena.
 - c) Describe the electrocardiographic features and pathophysiology of first degree atrioventricular (AV) block.
 - d) Discuss the indications for and limitations of using parvovirus antibody titres as a substitute for timed revaccinations. Include an explanation of the principles of interpretation of parvovirus antibody titres.

End of paper



Australian and New Zealand College of Veterinary Scientists

Membership Examination

June 2012

Medicine of Dogs Paper 2

Perusal time: Fifteen (15) minutes

Time allowed: Two (2) hours after perusal

Answer your choice of any **FOUR (4)** questions from the five questions **ONLY**

All five questions are of equal value

Answer **FOUR** questions each worth 10 markstotal 40 marks

Paper 2: Medicine of Dogs

Answer your choice of any FOUR (4) questions from the five questions ONLY

1. A six-year-old female neutered Yorkshire terrier presents with a two month history of weight loss, vomiting, diarrhoea and a reduced appetite.

Physical examination reveals a patient in poor body condition with a fluid wave palpable in the abdomen. You collect blood for haematology and biochemistry and urine via cystocentesis for urinalysis.

The results are presented below.

Haematology

| Parameter | Value | Unit | Reference Interval |
|------------------|--------|----------------------|--------------------|
| НЬ | 110 | g/L | 80-150 |
| RBC | 7.3 | x10 ¹² /L | 5.0-10.0 |
| PCV | 0.42 | L/L | 0.37-0.55 |
| WBC | 10.2 | x10 ⁹ /L | 5.5-19.5 |
| Neutrophils | 8.2 | x10 ⁹ /L | 2.4-12.5 |
| Band Neutrophils | 0 | x10 ⁹ /L | 0-0.3 |
| Lymphocytes | 0.8 | x10 ⁹ /L | 1.5-7.0 |
| Monocytes | 0.8 | x10 ⁹ /L | 0.2-1.0 |
| Eosinophils | 0.4 | x10 ⁹ /L | 0.1-1.5 |
| Basophils | 0 | x10 ⁹ /L | <0.2 |
| Platelets | 364 | x10 ⁹ /L | 200-500 |
| Morphology | Normal | | |

Question 1 continued over page

Biochemistry

| Parameter | Value | Unit | Reference Interval |
|----------------------|-------|--------|--------------------|
| ALT | 35 | U/L | 0-100 |
| ALP | 66 | U/L | 0-85 |
| Bilirubin | 2 | μmol/L | 0-5 |
| Cholesterol | 1.7 | mmol/L | 1.9-3.9 |
| Urea | 8.8 | mmol/L | 6.0-11.8 |
| Creatinine | 103 | μmol/L | 80-178 |
| Calcium | 1.68 | mmol/L | 1.81-2.70 |
| Phosphorus | 1.41 | mmol/L | 1.3-2.8 |
| Total Protein | 36 | g/L | 54-78 |
| Albumin | 14 | g/L | 21-38 |
| Globulin | 22 | g/L | 26-51 |
| Glucose | 5.8 | mmol/L | 3.9-6.1 |
| Sodium | 151 | mmol/L | 147-156 |
| Potassium | 4.1 | mmol/L | 3.5-5.0 |
| Chloride | 120 | mmol/L | 109-122 |

Urinalysis

| • | |
|-----------|------------|
| USG | 1.044 |
| pН | 6.5 |
| Glucose | Negative. |
| Ketones | Negative. |
| Bilirubin | Negative. |
| Blood | Negative. |
| Protein | Positive + |
| RBCs | Negative. |
| WBCs | Negative. |
| Casts | Negative. |
| Bacteria | Negative. |

Question 1 continued over page

Answer all subparts of this question:

- a) Provide a problem list for this patient based on the history, physical examination and laboratory data. (1 mark)
- b) State the most likely hypothesis to account for hypoproteinaemia in this patient. Justify your answer with reference to differential diagnoses. (4 marks)
- c) Outline your continued diagnostic approach to *this* patient (i.e. additional to the diagnostic tests already performed). Justify any procedures you will perform with reference to likely aetiologies. (5 marks)
- 2. A three-year-old, 30 kg mixed breed female speyed dog has been treated for idiopathic epilepsy following a comprehensive diagnostic workup. She is currently on 60mg of phenobarbitone twice daily. She has been on this medication for six months.

After starting therapy with phenobarbitone her seizure frequency initially reduced to an acceptable level, but over the past month she has been having refractory seizures, typically one generalised seizure every two days.

Answer all subparts of this question:

a) Describe the approach to improving the management of this epileptic dog with phenobarbitone alone. Include in your answer possible side effects of phenobarbitone use and ongoing monitoring. (4 marks)

Despite optimising phenobarbitone medication the generalised seizures continue.

- b) You decide to add a second antiepileptic drug to the phenobarbitone protocol.
 - i. Describe the therapeutic plan for the next antiepileptic you will use with particular reference to the pharmacokinetics of the drug.

 (3 marks)
 - ii. Describe possible side effects associated with this medication.

(1 mark)

Unfortunately the generalised seizures continue despite optimal management with two antiepileptic medications.

c) Briefly discuss options for a third drug to add to the treatment plan. (2 marks)

3. An eight-year-old, 8 kg male neutered Jack Russell terrier presents due to a three day history of anorexia and vomiting. Over the last three months increased thirst was noted. The dog lost weight (1 kg) over the last three months but was eating well during this time.

Physical examination findings:

- Depressed but responsive
- Resting respiratory rate 24 breaths per minute
- Body condition score 3 out of 9
- Mucus membranes are pink, dry with a capillary refill time of 1 second
- Skin tenting is noted
- Severe periodontal disease and tartar
- Resting heart and pulse rate are 120 beats per minute
- Lung sounds are normal
- No cardiac murmur or arrhythmia is detected
- Peripheral lymph nodes are not palpable
- Rectal temperature is 37.9°C.

Haematology, biochemistry and urinalysis are performed. The results are as follows:

| Haematology | | Results | Reference interval |
|------------------|-----------------------|---------|-----------------------|
| Haemoglobin | g/dL | 8.7 | 12.0 – 18.0 |
| PCV | L/L | 0.24 | 0.37 - 0.55 |
| Red cell count | x 10 ¹² /L | 3.8 | 5.5 – 8.5 |
| MCV (PCV/RCC) | fL | 65 | 60-75 |
| MCH (Hb/RCC) | pg | 22 | 19 - 24 |
| MCHC (Hb/PCV) | g/dL | 36 | 32 - 38 |
| Reticulocyte % | | 0 | < 2 |
| White cell count | x 10 ⁹ /L | 12.8 | 6.0 – 17.0 |
| Neutrophils | x 10 ⁹ /L | 8.7 | 3.0 – 11.5 |
| Lymphocytes | x 10 ⁹ /L | 0.5 | 1.0 – 4.8 |
| Monocytes | x 10 ⁹ /L | 1.0 | 0.2-1.4 |
| Eosinophils | x 10 ⁹ /L | 0.2 | 0.1 – 1.3 |
| Basophils | x 10 ⁹ /L | 0 | Rare |
| Platelets | x 10 ⁹ /L | 325 | 300 - 700 |
| Total solids | g/L | 88 | 60- 80 |
| Comments: None. | | • | |

Red cell morphology: Normal White cell morphology: Normal

| Biochemistry | | Results | Reference interval |
|-----------------|--------|---------|--------------------|
| Sodium | mmol/L | 154 | 144 - 160 |
| Potassium | mmol/L | 2.8 | 3.5 – 5.8 |
| Chloride | mmol/L | 114 | 109 - 122 |
| Calcium | mmol/L | 2.4 | 2.10 – 2.80 |
| Phosphate | mmol/L | 2.9 | 0.9 – 2.1 |
| Urea | mmol/L | 42.2 | 3.6 – 8.9 |
| Creatinine | μmol/L | 430 | 60 – 170 |
| Glucose | mmol/L | 12.2 | 3.3 – 6.7 |
| Cholesterol | mmol/L | 6.1 | 3.9 – 7.8 |
| Total Bilirubin | μmol/L | 2 | 0 – 10 |
| ALT | U/L | 76 | 5 – 80 |
| ALP | U/L | 110 | 10 – 120 |
| Total protein | g/L | 89 | 54 – 78 |
| Albumin | g/L | 39 | 24 – 38 |
| Globulin | g/L | 50 | 35 - 55 |

Urine Analysis: Free catch

Gross appearance: Pale Yellow

Specific gravity: 1.019

Question 3 continued over page

| Dipstick results | |
|------------------|------|
| Protein | 3+ |
| pН | 6.5 |
| Blood None | None |
| Ketones | None |
| Bilirubin | None |
| Glucose | None |
| SSA Protein | 3+ |

| Sediment exam | |
|------------------|------|
| Casts/LPF | None |
| RBC/HPF | None |
| WBC/HPF | None |
| Epithelial cells | None |
| Crystals | None |
| Bacteria | Few |
| Other | None |

Answer **both** subparts of this question:

- a) Provide a diagnostic hypothesis which would account for this patient's clinical signs and clinicopathological abnormalities. Justify your answer with reference to differential diagnoses for the specific problems present. (4 marks)
- a) Describe your management of this patient for the first three days of hospitalisation. Explain the reasons for your treatment decisions. (6 marks)
- 4. Lucy is a five-year-old female speyed Shih tzu who presents for assessment of increasing lethargy over the past week, and a two-day history of haematochezia and melaena. There was no history of travel outside of Australia, recent vaccination or other drug administration.

Physical examination findings:

- Body condition score 7/9
- Heart rate 100 beats per minute with synchronous pulses
- Systolic grade 1/6 left basal murmur (newly diagnosed)
- Pale pink mucous membranes, CRT less than 2 secs
- Panting
- Rectal temperature 38.5°C.

Question 4 continued over page

Laboratory data:

Haematology

| Patient value | Laboratory reference interval | |
|---------------|--|--|
| 3.87 | 5.7-8.8 | |
| 89 | 129-184 | |
| 0.27 | 0.37-0.6 | |
| 70.1 | 58.8-71 | |
| 113 | 0-60 | |
| 23 | 20.5-24 | |
| 328 | 310-362 | |
| 5 | 143-400 | |
| 12.5 | 5.2-14 | |
| 12.0 | 3.9-8 | |
| 2.33 | 1.3-4.1 | |
| 0.74 | 0.2-1.1 | |
| 0 | 0-0.6 | |
| | 3.87 89 0.27 70.1 113 23 328 5 12.5 12.0 2.33 0.74 | |

Moderate polychromasia and anisocytosis. No platelet clumps. No spherocytes. Saline agglutination negative.

Question 4 continued over page

Serum chemistries

| Parameter | Patient value | Laboratory reference range |
|----------------------------------|---------------|----------------------------|
| Sodium (mmol/L) | 149 | 139-153 |
| Potassium (mmol/L) | 4.8 | 3.9-5.9 |
| Chloride (mmol/L) | 114 | 101-116 |
| Bicarbonate (mmol/L) | 18 | 12-26 |
| Glucose (mmol/L) | 6.2 | 3.6-6.8 |
| Urea (mmol/L) | 18.2 | 3.6-10 |
| Creatinine (umol/L) | 59 | 44-132 |
| Calcium total (mmol/L) | 2.3 | 2.25-2.82 |
| Phosphate (mmol/L) | 0.9 | 0.8-2.2 |
| Total protein (g/L) | 52.9 | 56-80 |
| Albumin (g/L) | 26.5 | 24-38 |
| Globulin (g/L) | 26.4 | 25-45 |
| Bilirubin (umol/L) | 1 | 0-8 |
| Alkaline phosphatise (U/L) | 32 | 20-184 |
| Aspartate aminotransferase (U/L) | 29 | 10-60 |
| Alanine aminotransferase (U/L) | 35 | 21-142 |
| Cholesterol (mmol/L) | 5 | 3.3-6.9 |
| Creatinine kinase (U/L) | 95 | 47-228 |

Urinalysis:

| 3 | | |
|-------------------|-------------------------|--|
| Collection method | Voided | |
| Colour | clear, yellow | |
| USG | 1.035 | |
| рН | 6.5 | |
| Protein | Trace | |
| Glucose | Negative | |
| Ketones | Negative | |
| Bilirubin | Negative | |
| Blood | Negative | |
| Leucocytes | <1 per high power field | |

Question 4 continued over page

Answer all subparts of this question:

- a) List the problems from the history, physical examination and laboratory results for this patient. (2 marks)
- b) Provide a diagnostic hypothesis which would account for this patient's clinical signs and clinicopathological abnormalities. Justify your answer with reference to differential diagnoses for the specific problems present. (4 marks)
- c) Diagnostic testing fails to identify any further abnormality. Discuss your initial therapeutic plan including monitoring, for your most likely differential diagnosis. (4 marks)
- 5. Answer any **two** (2) of the following subparts: (5 marks each)
 - a) Discuss the management of bronchopneumonia in a three-year-old male rottweiler, with predominantly degenerative neutrophils in the bronchoalveolar lavage fluid.
 - b) Discuss the treatment of heartworm infection (dirofilariasis) with right-sided congestive heart failure in a two-year-old male kelpie.
 - c) Discuss the management and prevention of leptospirosis in a four-year-old female labrador dog.

End of paper